

| L Number | Hits | Search Text  | DB  | Time stamp       |
|----------|------|--|---|------------------|
| -        | 1    | 10/052735  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/25 14:56 |
| -        | 212  | (document email) SAME (revis\$5 update\$5 version\$3) SAME automatic SAME (send\$5 rece\$8)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/08 17:10 |
| -        | 5    | ((document email) SAME (revis\$5 update\$5 version\$3) SAME automatic SAME (send\$5 rece\$8) ) AND (correlat\$5 NEAR5 (document email) SAME (revis\$5 Updat\$5 version\$3))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/25 16:59 |
| -        | 0    | ((((document email) SAME (revis\$5 update\$5 version\$3) SAME automatic SAME (send\$5 rece\$8) ) AND correlat\$5 SAME (origin\$5 first)) NOT ((document email) SAME (revis\$5 update\$5 version\$3) SAME automatic SAME (send\$5 rece\$8) )  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/25 17:01 |
| -        | 13   | ((((document email) SAME (revis\$5 update\$5 version\$3) SAME automatic SAME (send\$5 rece\$8) ) AND correlat\$5 SAME (origin\$5 first)) NOT (((document email) SAME (revis\$5 update\$5 version\$3) SAME automatic SAME (send\$5 rece\$8) ) AND (correlat\$5 NEAR5 (document email) SAME (revis\$5 Updat\$5 version\$3))) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/25 17:01 |
| -        | 949  | (software application) SAME (revis\$5 update\$5 version\$3) SAME automatic SAME (send\$5 rece\$8)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/25 17:20 |
| -        | 0    | user SAME send SAME cop\$5 SAME revis\$3 SAME version\$3 SAME recipient\$3 SAME (original first)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/25 17:53 |
| -        | 703  | ((software application) SAME (revis\$5 update\$5 version\$3) SAME automatic SAME (send\$5 rece\$8) ) AND @ad<20020118  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/25 18:33 |
| -        | 0    | user SAME send SAME cop\$5 SAME revis\$3 SAME version\$3 SAME recipient\$3 SAME (original first)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/25 17:54 |
| -        | 1    | user\$3 SAME document\$3 SAME send\$3 SAME cop\$5 SAME revis\$3 SAME version\$3 SAME recipient\$3 SAME (original first)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/25 17:56 |
| -        | 325  | ((software application) SAME (revis\$5 update\$5 version\$3) SAME automatic SAME (send\$5 rece\$8) ) AND @ad<20020118) AND (document\$3 email\$3)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/25 17:58 |
| -        | 28   | (((((software application) SAME (revis\$5 update\$5 version\$3) SAME automatic SAME (send\$5 rece\$8) ) AND @ad<20020118) AND (document\$3 email\$3)) AND correlat\$5 SAME (origin\$5 first)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/25 18:25 |
| -        | 147  | send\$3 SAME (revised updated modified) SAME (document message) SAME (original first) SAME recipient\$3  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/25 18:33 |

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 89  | (send\$3 SAME (revised updated modified) SAME (document message) SAME (original first) SAME recipient\$3) AND @ad<20020118            | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/25 18:34 |
| - | 249 | 715/511.ccls.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/26 11:05 |
| - | 1   | 715/511.ccls. AND ((document email) SAME (revis\$5 update\$5 version\$3) SAME automatic SAME (send\$5 rece\$8))                       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/26 11:08 |
| - | 1   | 09/745290   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/27 14:31 |
| - | 11  | 09/657196   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/07/27 11:28 |
| - | 17  | ((document email) SAME (revis\$5 update\$5 version\$3) SAME automatic SAME (send\$5 rece\$8) ) AND correlat\$5 SAME (origin\$5 first) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/07 17:07 |
| - | 82  | correlat\$5 NEAR5 (document email) SAME (revis\$5 Updat\$5 version\$3)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/07 17:45 |
| - | 2   | 6185584.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/08 12:10 |
| - | 2   | 5870717.pn. AND location  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/08 15:13 |
| - | 1   | 5870548.pn. AND location  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/08 15:14 |
| - | 848 | (document email) SAME (send\$5 rece\$8) SAME addition\$53 SAME forward\$5   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/08 17:12 |
| - | 141 | (document email) SAME (send\$5 rece\$8) SAME addition\$53 SAME forward\$5 SAME recipient\$3   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/08 20:27 |
| - | 90  | ((document email) SAME (send\$5 rece\$8) SAME addition\$53 SAME forward\$5 SAME recipient\$3 ) AND @ad<20020118                       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/08 20:58 |

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 72  | ((document email) SAME (send\$5 rece\$8) SAME addition\$53<br>SAME forward\$5 SAME recipient\$3 ) AND @ad<20020118)<br>AND automatic\$5 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/08 20:31 |
| - | 72  | ((document email) SAME (send\$5 rece\$8) SAME addition\$53<br>SAME forward\$5 SAME recipient\$3 ) AND @ad<20020118)<br>AND automatic\$5 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/08 20:52 |
| - | 6   | resend\$5 SAME (document\$3 email\$3) SAME (addition\$3<br>more) SAME (receiv\$5 recipient) SAME forward                                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/08 20:58 |
| - | 274 | send\$5 SAME (document\$3 email\$3) SAME (addition\$3 more)<br>SAME (receiv\$5 recipient) SAME forward                                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/08 20:58 |
| - | 168 | (send\$5 SAME (document\$3 email\$3) SAME (addition\$3<br>more) SAME (receiv\$5 recipient) SAME forward ) AND<br>@ad<20020118           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/08 20:58 |